

## BIBLIOGRAPHY FOR:

The Vallombrosa Workshop:  
*Understanding Environmental Contaminants and Human Fertility Compromise:  
Science and Strategy*

and

The Vallombrosa lay background paper:  
*Challenged Conceptions: Environmental Chemicals and Fertility*



Abbott D.H., Dumesic D.A., and Franks S. Developmental Origins of Polycystic Ovary Syndrome - A Hypothesis. *J Endocrinol* (2002): 174:1-5.

Anway M.D., Cupp A.S., Uzumcu M., and Skinner M. Epigenetic Transgenerational Actions of Endocrine Disruptors on Male Fertility. *Science* (2005): 308:1466-1469.

Baird D.D., Newbold R. Prenatal Diethylstilbestrol Exposure is Associated with Uterine Leiomyoma Development. *Reproductive Toxicology* (2005): 20:81-84.

Benoff S. et al. Increased Seminal Plasma Lead Levels Adversely Affect the Fertility Potential of Sperm in IVF. *Hum. Rep. Update* (2003) Vol. 18, no. 2, pp. 374-383.

Benoff S. et al. Seminal Lead Concentrations Negatively Affect Outcomes of Artificial Insemination. *Fertil. & Steril.* (2003) Vol. 80, no. 3, Sep.

Billiar R.B., Zachos N.C., Burch M.G., Albrecht E.D., Pepe G.J. Up-regulation of Alpha-inhibin Expression in the Fetal Ovary of Estrogen-suppressed Baboons is Associated with Impaired Fetal Ovarian Folliculogenesis. *Biol Repro* (2003): 68:1989-1996.

Birnbaum L.S., Fenton S.E. Cancer and Developmental Exposures to Endocrine Disruptors. *Environ Health Perspect* (2003): 111:389-394.

Birnbaum L.S., Cummings A.M. Dioxins and Endometriosis: a Plausible Hypothesis. *Environmental Health Perspectives* (2002):110(1):15-21.

*Body Burden: The Pollution in People*, Report of the Environmental Working Group (2003), [www.cwg.org/reports/bodyburden/](http://www.cwg.org/reports/bodyburden/).

Bonde J.P.E., Ernst E., Jenses T.K., Hjollund N.H.J., Kolstad H., Henriksen T.B., Scheike T., Giwercman A., Olsen J., Skakkebaek N.E. Relation between Semen Quality and Fertility: a Population-based Study of 430 First-pregnancy Planners. *Lancet* (1998):352:1172- 1177.

Borum D.R., Abernathy C.O. Human Oral Exposure to Inorganic Arsenic. *Environ Geochem Health* (1994):16:21-30

Buck G.M. et al. Lifestyle Factors and Female Infertility. *Epidemiology* (1997) Vol. 8, no. 4.

Buck G.M., Sever L.E., Mendola P., Zielesny M., Vena J.E. Consumption of Contaminated Sport Fish

from Lake Ontario and Time-to-Pregnancy, New York State Angler Cohort. *American Journal of Epidemiology* (1997):146:949-954.

Buck G.M., Weiner J.M., Whitcomb B.W., Sperrazza R., Schisterman E.F., Lobdell D.T., Crickard K., Greizerstein H., Kostyniak P.J. Environmental PCB Exposure and Risk of Endometriosis. *Human Reproduction* (2004): 20:279-285.

Cantor K.P. Arsenic in Drinking Water: How Much is Too Much? *Epidemiology* (1996):7:113-5

Carlsen E., Swan S.H., Petersen J.H., Skakkebaek N.S., Longitudinal Changes in Semen Parameters in Young Danish Men from the Copenhagen Area. *Human Reprod* (2005): 20(4):942-9.

Chandra A., Stephen E.H. Impaired Fecundity in the United States (1982-1995). *Family Planning Perspect* (1998):30:34-42.

Cobellis L., Latini G., DeFelice C., Razzi S., Paris I., Ruggieri F., Mazzeo P., and Petraglia F. High Plasma Concentrations of Di(2-ethylhexyl)-phthalate in Women with Endometriosis. *Human Reproduction* (2003):18(7): 1512-1515.

Cook J., Davis B.J., Cai S., Barrett J.C., Conti C.J., Walker C.L. Interaction between Genetic Susceptibility and Early-Life Environmental Exposure Determines Tumor-Suppressor-Gene Penetrance. *PNAS* (2005): 102: 8644-8649.

Crain D.A., Guillette L.J. Jr. Endocrine-disrupting Contaminants and Reproduction in Vertebrate Wildlife. *Rev Toxicol* (1997):1:47-70.

Cummings A.M., Hedge J.M., Birnbaum L.S. Effect of Prenatal Exposure to TCDD on the Promotion of Endometriotic Lesion Growth by TCDD in Adult Female Rats and Mice. *Toxicological Sciences* (1999):52: 45-49.

Dalliga J.W., Moonen E.J.C., Dumoulin C.M., Evers J.L.H., Geraedts J.P.M., Kleinjans C.S. Decreased Human Semen Quality and Organochlorine Compounds in Blood. *Hum Reprod* (2002): Aug;17(8):1973-9.

Dalke K. Mouse in the House – Scientists Compare Mouse and Human Genomes. *Genome News Network* (2002). Retrieved August 15, 2005 from [http://www.genomenetwork.org/articles/12\\_02/mouse.shtml](http://www.genomenetwork.org/articles/12_02/mouse.shtml)

da Silva S.J.M., Bayne R.A.L., Cambray N., Hartley P.S., McNeilly A.S., Anderson R.A. Expression of Activin Subunits and Receptors in the Developing Human Ovary: Activin A Promotes Germ Cell Survival and Proliferation Before Primordial Follicle Formation. *Devel Biol* (2004): 266:334-345.

Drake A.J., Walker B.R.. The Intergenerational Effects of Fetal Programming: Non Genomic Mechanisms for the Inheritance of Low Birth Weight and Cardiovascular Risk. *J Endo* (2005):180:1-16.

Duty S.M., Silva M.J., Barr D.B., et al. Phthalate Exposure and Human Semen Parameters. *Epidemiology* (2003):14:269-77.

Duty S.M., Calafat A.M., Silva M.J. et al. The Relationship between Environmental Exposure to Phthalates and Computer-aided Sperm Analysis Motion Parameters. *J Androl* (2004):25:293-302.

Eskenazi B., Warner M., Mocarelli P., Samuels S., Needham L.L., Patterson D.G. Jr., Lippman S., Vercellini P., Gerthoux P.M., Brambilla P., Olive D. Serum Dioxin Concentrations and Menstrual Cycle Characteristics. *Am J Epidemiol* (2002):156:383-392.

Eskenazi B., Mocarelli P., Warner M., Samuels S., Vercellini P., Olive D., Needham L.L., Patterson D.G., Brambilla P., Gavoni N. et al. Serum Dioxin Concentrations and Endometriosis: A Cohort Study in Seveso, Italy. *Environ Health Perspect* (2002): 110:629-634.

Fenton S.E., Hamm J.T., Birnbaum L.S., Youngblood G.I. Persistent Abnormalities in the Rat Mammary Gland following Gestational and Lactational Exposure to 2,3,7,8-Tetrachlorodibenzo-P-Dioxin (TCDD). *Toxicol Sci* (2002):67:63-74.

Findlay J.K., Drummond A.E., Dyson M., Baillie A.J., Robertson D.M., Ethier J-F. Production and Actions of Inhibin and Activin During Folliculogenesis in the Rat. *Molec Cell Endocrinol* (2001):180:139-144.

Gerhard I., Runnebaum B. The Limits of Hormone Substitution in Pollutant Exposure and Fertility Disorders. *Zentralbl Gynakol* (1992):114:593-602.

Gluckman, P.D., Hanson M.A. Developmental Origins of Disease Paradigm: A Mechanistic and Evolutionary Perspective. *Pediatric Res* (2004): 56:311-317.

Gray Jr L.E. et al. Effects of Environmental Antiandrogens on Reproductive Development in Experimental Animals. *Hum. Rep. Update* (2001) Vol.7, no. 3 pp. 248-264.

Gray Jr L.E., Foster P.M. Significance of Experimental Studies for Assessing Adverse Effects of Endocrine Disrupting Chemicals. *Pure Appl. Chem.* (2003) Vol. 75, nos. 11-12, pp 2125-2141.

Guillette L.J.Jr., Gross T.S., Masson G.R., Matter J.M., Percival H.F., Woodward A.R. Developmental Abnormalities of the Gonad and Abnormal Sex Hormone Concentrations in Juvenile Alligators from Contaminated and Control Lakes in Florida. *Environ Health Perspec* (1994): 102:680-688.

Guisti R.M., Iwamoto K., Hatch E.E. Diethylstilbestrol Revisited: a Review of the Long-term Health Effects. *Ann Intern Med* (1995):122:778-88.

Guo Y.L., Hsu P.C., Hsu C.C., Lambert G.H. Semen Quality after Prenatal Exposure to Polychlorinated Biphenyls and Dibenzofurans. *Lancet* (2000): Oct 7;356(9237):1240-1.

Hatch E.E., Herbst A.L., Hoover R.N., Noller K.L., Adam E., Kaufman R.H., et al. Incidence of Squamous Neoplasia of the Cervix and Vagina in Women Exposed Prenatally to Diethylstilbestrol [United States]. *Cancer Causes Control* (2001):12:837-845.

Hauser R., Williams P., Altshul L., Calafat A. Evidence of Interaction between Polychlorinated Biphenyls and Phthalates in Relation to Human Sperm Motility. *Environ Health Perspect* (2005):113:425-430.

Hauser R., Chen Z., Pothier L., Ryan L., Atshul L. The Relationship between Human Semen Parameters and Environmental Exposure to Polychlorinated Biphenyls and p,p'-DDE. *Environ Health Perspect* (2003): Sep;111(12):1505-11.

Heiler J, Nackers F, Verougstraete V, Tonglet R, Lison D, Donnez J. Increased Dioxin-like Compounds in the Serum of Women With Peritoneal Endometriosis and Deep Endometriotic (adenomyotic) Nodules.

(2005) *Fertil and Steril*, 84(2), 305-312.

Herbst A.L., Ulfeder H., Poskanzer D.C., Longo L.D. Adenocarcinoma of the Vagina: Association of Maternal Stilbestrol Therapy with Tumor Appearance in Young Women. *N. Engl J Med* (1971): 284: 878-881.

Hilakive-Clarke L., Cho E., Onokafe I., Raygada M., Clark R. Maternal Exposure to Genistein during Pregnancy Increases Carcinogen-Induced Mammary Tumorigenesis in Female Rat Offspring. *Oncol Rep* (1999):6:1089-1095.

Hood R.D. Effects of Sodium Arsenite on Fetal Development. *Bull Environ Contam Toxicol* 7:216-22

Hsu P.C., Huang W., Yao W., Hsing M.H., Guo Y.L., Lambert G.H. Sperm Changes in Men Exposed to Polychlorinated Biphenyls and Dibenzofurans. *JAMA* (2003): Jun 11; 289(22): 2943-4.

Hunt P.A., Koehler K.E., Susiarjo M., Hodges C.A., Iiagan A., Voigt R.C., Thomas S., Thomas B.F., Hassold T. J. Bisphenol A Exposure Causes Meiotic Aneuploidy in the Female Mouse. *Current Biology* (2003): 13:546-553.

Ibarreta D., Swan S.H. The DES Story: Long-term Consequences of Prenatal Exposure. In: Harremoës P., Gee D., MacGarvin M., Stirling A., Keys J., Wynne B., et al., editors. Late Lessons from Early Warnings: the Precautionary Principle 1896-2000. Environment Issue Report, No. 22. Copenhagen: European Environment Agency; (2001): 84-92.

Iguchi T., Fukazawa Y., Uesugi Y., Takasugi N. Polyovular Follicles in Mouse Ovaries Exposed Neonatally to Diethylstilbestrol In Vivo and In Vitro. *Biol Reprod* (1990): 43:478-484.

Iguchi T. Cellular Effects of Early Exposure to Sex Hormones and Antihormones. *Intern Rev Cytol* (1992): 139:1-57.

Iguchi T., Takasugi N. Polyovular Follicles in the Ovary of Immature Mice Exposed Prenatally to Diethylstilbestrol. *Anat Embryol* (1986): 175:53-55.

Iguchi T., Takasugi N., Bern H.A., Mills K.T. Frequent Occurrence of Polyovular Follicles in Ovaries of Mice Exposed Neonatally to Diethylstilbestrol. *Teratology* (1986): 34:29-35.

Jefferson W.N., Couse J.F., Padilla-Banks E., Korach K.S., Newbold R.R. Neonatal Exposure to Genistein Induces Estrogen Receptor (ER) Alpha Expression and Multiocyte Follicles in the Maturing Mouse Ovary: Evidence for ER Beta-mediated and Nonestrogenic Actions. *Biol Repro* (2002): 67:1285-1296.

Jefferson W.N., Padilla-Banks E., Couse J.F., Korach K.S., Newbold R.R.. Neonatal Genistein Exposure Induces Estrogen Receptor Mediated Alterations in Gene Expression in the Developing Mouse Uterus: Differential Effects of Low Versus High Doses. *Mol Endocrinol* In Press (2005).

Jonsson B.A.G., Richthoff J., Rylander L., Giwercman A., Hagmar L. Urinary Phthalate Metabolites and Biomarkers of Reproductive Function in Young Men. *Epidemiology* (2005): Jul;16(4):487-93.

Kaneko-Ishino T., Kohda T., Ishino F. The Regulation and Biological Significance of Genomic Imprinting. *J Biochem* (2003):133:699.

- Kaufman R.H., Adam E., Hatch E.E., Noller K., Herbst A.L., Palmer J.R., et al. Pregnancy Outcomes in Diethylstilbestrol-exposed Offspring: Continued Follow-up. *Obstet Gynecol* (2000);96:483-9.
- Klip H., Verloop J., van Gool J.D., Koster M.E.T.A., Burger C.W., van Leeuwen F.E. Hypospadias in Sons of Women Exposed to Diethylstilbestrol In Utero: a Cohort Study. *Lancet* (2002): 359:1102-7.
- Lawson C.C. et al. An Occupational Reproductive Research Agenda for the Third Millennium. *Environmental Health Perspect.* (2003) Vol. 111, no.4, April.
- Lebel G., Dodin S., Ayotte P., Marcoux S., Ferron L.A., Dewailly E. Organochlorine Exposure and the Risk of Endometriosis. *Fertil Steril* (1998): 69:221-227.
- Lemasters G.K. et al. Workshop to Identify Critical Windows of Exposure for Children's Health: Reproductive Health in Children and Adolescents Work Group Summary. *Environmental Health Perspect.* (2000) Vol. 108, Supplement 3, June.
- Liu L., Trimarchi J.R., Navarro P., Blasco M.A., Keefe D.L. Oxidative Stress Contributes to Arsenic-induced Telomere Attrition, Chromosome Instability, and Apoptosis. *J Biol Chem* (2003):278:31998-2004.
- Mayani A., Barel S., Soback S., Almagor M. Dioxin Concentrations in Women with Endometriosis. *Human Reproduction* (1997): 12(2), 373-375.
- McMullen M.L., Cho B.N., Yates C.J., Mayo K.E. Gonadal Pathologies in Transgenic Mice Expressing the Rat Inhibin Alpha-subunit. *Endocrinology* (2001):142:5005-5014.
- Meeker J.D., Ryan L., Barr D.B., Herrick R.F., Bennett D.H., Bravo R., Hauser R. The Relationship of Urinary Metabolites of Carbaryl/Naphthalene and Chlorpyrifos with Human Semen Quality. *Environ Health Perspect* (2004):112:1665-70.
- Mendola P., Buck G.M., Sever L.E., Zielesny M., Vena J.E. Consumption of PCB-Contaminated Fresh Water Fish and Shortened Menstrual Cycle Length. *American Journal of Epidemiology* (1997):146:955-960.
- Miller K.P., Gorgeest C., Greenfeld C., Tomic D., Flaws J.A.. In Utero Effects of Chemicals on Reproductive Tissues in Females. *Tox Appl Pharm* (2004): 198:111-131.
- Moline J.M. et al. Exposure to Hazardous Substances and Male Reproductive Health: A research Framework. *Environmental Health Perspect.* (2000) Vol. 108, no. 9, Sep.
- Mori C., Komiyama M., Adachi T., Sakurai T., Nishimura D., Takashima K., Todaka E. Application of Toxicogenomic Analysis to Risk Assessment of Delayed Long-Term Effects of Multiple Chemicals, Including Endocrine Disruptors in Human Fetuses. *Environ Health Perspect* (2002): 111: 803-809.
- Muñoz-de-Toro M., Markey C. M., Wadia P., Luque E.H., Rubin B.S., Sonnenschein C., Soto A.M. Perinatal Exposure to Bisphenol-A Alters Peripubertal Mammary Gland Development in Mice. *Endocrinology* (2005): 146:4138 - 4147.
- Murphy S.K., Jirtle R.L. Imprinting Evolution and the Price of Silence. *Bioessays* (2003): 25:577-588.

Myers J.P., Guillette L.J. Jr., Palanza P., Parmigiani S., Swan S.H., Vom Saal F.S. Endocrine Disrupting Chemicals. In: Ragaini RC, editor. International Seminar on Nuclear War and Planetary Emergencies, 30th session: "E. Majorana" Centre for Scientific Culture, Erice, Italy, 18-26 August 2003. River Edge, N.J.: World Scientific; (2004):105-121.

*National Report on Human Exposure to Environmental Chemicals*, US Centers for Disease Control and Prevention, [www.cdc.gov/exposurereport/](http://www.cdc.gov/exposurereport/).

National Survey of Family Growth (NSFG), National Center for health Statistics, US Centers for Disease Control and Prevention, [www.cdc.gov/nchs/nsfg.htm](http://www.cdc.gov/nchs/nsfg.htm).

Navarro P.A.A.S., Liu L. Keefe D. L. In Vivo Effects of Arsenite on Meiosis, Preimplantation Development and Apoptosis In the Mouse. *Biol of Reproduction* (2004): 70:980-5

Newbold R.R., Banks E. P., Snyder R.J., Jefferson W.N. Developmental Exposure to Estrogenic Compounds and Obesity Birth Defects. *Res Part A* (2005):73:478-480.

Newbold R.R., Banks E.P., Jefferson W.N. Adverse Effects of Model Environmental Estrogens. *Endo In Press*. (2005).

Newbold R.R., Banks E. P., Bullock B., Jefferson W.N. Uterine Adenocarcinoma in Mice Treated Neonatally with Genistein. *Cancer Res* (2001):61:4325-4328.

Newbold R.R., Hanson R.B., Jefferson W.N., Bullock B.C., Haseman J., McLachlan J.A. Proliferative Lesions and Reproductive Tract Tumors in Male Descendants of Mice Exposed Developmentally to Diethylstilbestrol. *Carcinogenesis* 2000;21(77):1355-63.

Newbold R.R., Bullock B.C., McLachlan J.A. Uterine Adenocarcinoma in Mice Following Developmental Treatment with Estrogens: a Model for Hormonal Carcinogenesis. *Cancer Res* (1990):50:7677-7681.

Palmer J.R., Hatch E.E., Rosenberg C.L., Hartge P., Kaufman R.H., Titus-Ernstoff L., Noller K.L., Herbst A.L., Rao R.S., Troisi R., Colton T., Hoover R.N. Risk of Breast Cancer in Women Exposed to Diethylstilbestrol In Utero: Preliminary Results (United States). *Cancer Causes Control* 2002;13:753-8.

Palmer J.R., Hatch E.E., Rao R.S., Kaufman R.H., Herbst A.L., et al. Infertility Among Women Exposed Prenatally to Diethylstilbestrol. *Am J Epidemiol* 2001;154:316-21.

Pangas S.A., Woodruff T.K. Activin Signal Transduction Pathways. *Trend Endocrinol Metabol* 2000;11:309-314.

Pauwels A., Schepens P.J., D'Hooghe T., Delbeke L., Dhont M., Brouwer A., Weyler J. The Risk of Endometriosis and Exposure to Dioxins and Polychlorinated Biphenyls: a Case-control Study of Infertile Women. *Hum Reprod* (2001):16:2050-2055.

Pepling M.E., de Cuevas M., Spradling A.C. Germ Line Cysts: a Conserved Phase of Germ Cell Development? *Trend Cell Biol* 1999: 9:257-262.

Prins G.S., Birch L., Habermann H., Chang W.Y., Tebeau C., Putz O., Bieberich C. Influence of Neonatal Estrogens on Rat Prostate Developmental. *Reprod. Fertl Dev.* (2001):13:241-252.

- Ricthoff J., Rylander L., Jonsson B.A.G., Akesson H., Hagmar L., Nilsson-Ehle P., Stridsberg, Giwercman A. Serum Levels of 2,2',4,4',5,5'-hexachlorobiphenyl (CB-153) in Relation to Markers of Reproductive Function in Young Males from the General Swedish Population. *Environ Health Perspect* (2003): Apr;111(4):409-13.
- Rier S.E., Martin D.C., Bowman R.E., Dmowski W.P., and Becker J.L. Endometriosis in Rhesus Monkeys (*Macaca mulatta*) Following Chronic Exposure to 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin. *Fundamental and Applied Toxicology* (1993):21:433-441.
- Rier S.E., Foster W.G. Environmental Dioxins and Endometriosis. *Seminars in Reproductive Medicine* (2003):21(2):145-153.
- Rier S.E., Martin D.C., Bowman R.E., Becker J.L. Immunoresponsiveness in Endometriosis: Implications of Estrogenic Toxicants. *Environmental Health Perspect* (1995):103, Supplement 7: 151-156.
- Rier S.E., Turner W.E., Martin D.C., Morris R.L., George W., Clark G.C. Serum Levels of TCDD and Dioxin-like Chemicals in Rhesus Monkeys Chronically Exposed to Dioxin: Correlation of Increased Serum PCB Levels with Endometriosis. *Toxicological Sciences*. (2001): 59(1):147-159.
- Rignell-Hydbom A., Rylander L., Giwercman A., Jonsson B.A.G., Nilsson-Ehle P, Hagmar L. Exposure to CB-153 and p,p'-DDE and Male Reproductive Function. *Hum Reprod* (2004): Sep;19(9):2066-75.
- Robinson R. The Fetal Origins of Adult Disease. *BMJ* (2001):322:375-376;  
<http://bmj.bmjournals.com/cgi/reprint/322/7283/375>
- Rockett J.C., Buck G.M., Johnson C.D., Perreault S.D. The Value of Home-based Collection of Biospecimens in Reproductive Epidemiology. *Environmental Health Perspect* (2004):112:94-104.
- Schettler, T. Protecting Our Health: Infertility and Related Reproductive Disorders, (2003)  
[www.protectingourhealth.org/newscience/infertility/2003-04peerreviewinfertility.htm](http://www.protectingourhealth.org/newscience/infertility/2003-04peerreviewinfertility.htm).
- Sharara F.I., Seifer D.B., Flaws J.A. Environmental Toxicants and Female Reproduction. *Fertil Steril* (1998);70:613-622.
- Sharpe, R.M., Franks, S. Environment, Lifestyle and Infertility - An Intergenerational Issue. *Nature Cell Biol.* (2002) 4(S1), 533-54.
- Sinaii N., Cleary S.D., Ballweg M.L., Nieman L.K., and Stratton P. High Rates of Autoimmune and Endocrine Disorders, Fibromyalgia, Chronic Fatigue Syndrome and Atopic Diseases among Women with Endometriosis: a survey Analysis. *Human Reproduction*, (2002):17(10):2715-2724.
- Skakkebaek N.F., Rajpert-De Meyts E., Main K. Testicular Dysgenesis Syndrome: an Increasingly Common Developmental Disorder with Environmental Aspects. *Hum Reprod* (2001):16:972-978.
- Spar, D.L. The Baby Business: Elite Eggs, Designer Genes, and the Thriving Commerce of Conception, Harvard Business School Press, Jan. 2006.
- Strohsnitter W.C., Noller K.L., Hoover R.N., Robboy S.J., Palmer J.R., et al. Cancer Risk in Men Exposed In Utero to Diethylstilbestrol. *Journal of the Natl Cancer Inst* (2001):93:545-51.

- Swan S.H., Hertz-Picciotto I. Reasons for Infecundity [Letter]. *Family Planning Perspect* (1999):31(3):156-157.
- Swan S.H. Long Term Human Effects of Prenatal Exposure to Diethylstilbestrol. *APMIS* (2000):108: 793-804.
- Swan S.H. Intrauterine Exposure to Diethylstilbestrol: Long-term Effects in Humans. *APMIS* (2000):108:793-804.
- Swan S.H., Elkin E.P., Fenster L. The question of declining sperm density revisited: an analysis of 101 studies published 1934-1996. *Environmental Health Perspect* (2000): 108(10):961-966.
- Swan S.H., Brazil C., Drobni E.Z., Liu F., Kruse R.L., Hatch M., Redmon J.B., Wang C., Overstreet J.W., and the Study for Future Families Research Group. Geographic Differences in Semen Quality of Fertile US Males. *Environmental Health Perspect* (2003):111(4):414 420.
- Swan S.H., Kruse R.L., Liu F., Barr D.B., Drobni E.Z., Redmon J.B., Wang C., Brazil C., Overstreet J.W. and the Study for Future Families Research Group. Semen Quality in Relation to Biomarkers of Pesticide Exposure. *Environ Health Perspect* (2003): 111:1478-84.
- Swan S.H., Elkin E.P., Fenster L. Have Sperm Densities Declined? A Reanalysis of Global Trend Data. *Environmental Health Perspect* (1997):105(11):1228-1232.
- Swan S.H. Your Environment; Your Fertility: Is There a Link? In: INCIID A.R.T. Directory 2005. Arlington, VA: InterNational Council on Infertility Information Dissemination (INCIID); (2004). 13-19.
- Swan SH, Main KM, Liu F, Stewart SL, Kruse RL, Calafat AM, Mao CS, Redmon JB, Ternand CL, Sullivan S, Teague JL, and the Study for Future Families Research Team. Decrease in Anogenital Distance among Male Infants with Prenatal Phthalate Exposure. *Environmental Health Perspect* (2005) 113: 1056-1061.
- Swan S.H. Pregnancy Outcomes in DES Daughters. In: Giusti, R.M. Ed. Report of the NIH Workshop on Long-term Effects of Exposure to Diethylstilbestrol (DES). Bethesda, Md.: U.S. Department of Health and Human Services. Public Health Service. National Institutes of Health. (1992):42-9.
- Takeuchi T., Tsutsynu O., Ikezuki Y., Takai Y. Positive Relationship between Androgen and the Endocrine Disruptor, Bisphenol A, in Normal Women and Women with Ovarian Dysfunction. *Endo J.* (2004):51:165-169.
- Van Driel R., Fransz P.F., Verschure P.J. The Eukaryotic Genome: a System Regulated at Different Hierarchical Levels. *J Cell Science* (2003):116: 4067-4075
- Vidaeff A.C., Sever L.E.. In Utero Exposure to Environmental Estrogens and Male Reproductive Health: a Systematic Review of Biological and Epidemiologic Evidence. *Rep Toxicol* (2005): 12:5-20.
- Welshons W.W., Nagel S.C., Thayer A., Judy B.M., Vom Saal F.S. Low Dose Bioactivity of Xenoestrogens in Animals: Fetal Exposure to Low Doses of Methoychlor and other Xenoestrogens Increases Adult Prostate Size in Mice. *Tox and Ind Health* (1999): 15:12-25.
- Windham G., Waller K., Anderson M., Fenster L., Mendola P., Swan S.H. Chlorination By-products in Drinking Water and Menstrual Cycle Function. *Environmental Health Perspect* (2003):111(7):935-941.



Wu T., Buck G.M., Mendola P. Blood Lead Levels and Sexual Maturation in U.S. Girls: The Third National Health and Nutrition Examination Survey, 1988-94. *Environmental Health Perspect* (2003):111:737-741.

Xu H. et al. Exposure to Trichloroethylene and its Metabolites Causes Impairment of Sperm Fertilizing Ability in Mice. *Tox. Sci.* (2004) 82, 590-597.

Younglai, E.V., Holloway, A.C., Foster, W.G. Environmental and Occupational Factors Affecting Fertility and IVF Success. *Hum Rep Update* (2005) Vol.11, no. 1 pp.43-57.